

## 跌倒

*IF (Age of respondent >= 60) [!AgeOf >= 60]*

| **HEFLA**

| [^Have / Since we last talked to you on [^date of last interview] have] you fallen down  
| [^BLANK / in the last two years] (for any reason)?

| 1 Yes

| 2 No

| *IF whether fallen down = yes [HeFla = 1]*

| **HEFLB**

| How many times have you fallen down [^since we last talked to you on [^date of last  
| interview]/ in the last two years]?

| Range: 0..400

| **[CHECK HE57]**

| **HEFLC**

| In [^any of these falls / that fall], did you injure yourself seriously enough to need medical  
| treatment?

| 1 Yes

| 2 No

| *IF (number of times fallen down > 2) AND (whether required medical treatment for fall =  
| yes) [(HeFlb > 2) AND (HeFlc = 1)]*

| **HEFLD**

| With any of your past falls, did a doctor or nurse talk with you to try to understand why you  
| fell?

| 1 Yes

| 2 No

| **HEFLE**

| Did a doctor or nurse or physiotherapist test your balance or strength or watch how you  
| walk to understand why you fell?

| INTERVIEWER: PROBE - 'This might include standing with one foot in front of the other,  
| standing with your eyes closed, walking heel to toe, getting up from a chair without using

|| | your hands.'  
|| | 1 Yes  
|| | 2 No

|| | **HEFLF**

|| | Did a doctor or nurse or physiotherapist recommend any additional tests, such as heart tests or brain scans to understand why you fell?  
|| | 1 Yes  
|| | 2 No

|| | END OF FILTER

| | END OF FILTER

| | END OF FILTER

**HEFRAC**

Have you [^BLANK / ever] fractured your hip since we last talked to you on [^date of last interview]?

1 Yes  
2 No

*IF person's age >= 60 [IAgeOf >= 60]*

| | **HEJI\***

| | [^Have you / Has [^name]] [^BLANK / ever] had any joint replacements since we last talked to [^you / him / her] on [^date of last interview]?  
| | 1 Yes  
| | 2 No

| | *IF whether had joint replacements = yes [HeJi = 1]*

|| | **HEJIA\***

|| | Which joints did [^you / [^name]] have replaced?  
|| | INTERVIEWER: PROBE - 'What others?'  
|| | Code all that apply.  
|| | 1 Hip  
|| | 2 Both hips  
|| | 3 Knee  
|| | 4 Both knees  
|| | 5 Hips(s) and knee(s)  
|| | 6 Other joint

|| | **[Multiple responses to HEJIA are recorded in variables HEJIA1 and HEJIA2]**  
|| | **[code maximum 6 out of 6 possible responses]**

|| | *IF joints replaced = [hip, both hips, hip and knee] [HeJia = [1, 2, 5]*

|| | **HEJIB\***

|| | Was / Were the hip replacement(s) because of arthritis, a fracture or for some other reason?  
|| | 1 Arthritis  
|| | 2 Fracture  
|| | 3 Both arthritis and a fracture  
|| | 95 Other reason

```
|||
||| IF whether had joint replacements at Wave 1 <> RESPONSE [HeJi (Wave 1) <>
||| RESPONSE]
|||
||| HEJIC*
||| [^Have you / Has [^name]] had a hip replacement in the last two years?
||| 1 Yes
||| 2 No
|||
||| END OF FILTER
|||
||| END OF FILTER
|||
||| END OF FILTER
|||
||| END OF FILTER
```